

Speed Queen®

MULTI-HOUSING

Electronic Homestyle
Front Control
Washers and Dryers



BUILT FOR RELIABLE PERFORMANCE.

100 years. It's a long time for any company to be at the forefront of an industry. It's given us a long time to refine our craft, down to the smallest detail. For more than a century, Speed Queen has built a legacy on providing proven premium quality laundry equipment that stands up to any challenge. We make no compromises in performance. We refuse to be outdone in reliability and efficiency. And our commitment to quality is matched only by our commitment to you.

The result is the most reliable machine in the industry. We believe that strength comes from within. That's why every technical feature and every component of a Speed Queen machine is built specifically for the commercial environment. Our world-class test lab rigorously pushes our products far beyond the conditions they're likely to ever face. We work hard at every point of our manufacturing process to ensure that our machines reflect that belief.

Electronic homestyle control is designed for durability and easy operation with attractive selection buttons and cycle status indicator lights. Speed Queen front load laundry products have met every design standard to be 100% ADA compliant.



FRONT LOAD WASHER

Revolutionary balancing technology redistributes even the most unbalanced loads for consistent cycle times, minimized vibration and reduced noise.


Increase spin speed extracts 440 G-Force to maximize moisture removal, helping to minimize dry times.

20% increase in capacity with improved water usage for superior washability, increased customer satisfaction and lower utility bills.

Heavy-duty design features like a rugged suspension system and stainless steel washtub and outer drain tub to deliver long-lasting performance.

Larger door opening - extra wide 15.5" (394 cm) for easy loading and unloading of clothes.

Redesigned four-compartment soap dispenser for simplified use and cleaning.





SINGLE LOAD DRYER

Speed Queen's front control dryer, defined by its simplicity and performance, provides everything you need to get the job done – and nothing you don't. The single load dryer combines heavy-duty construction with reliable operation proven to stand the test of time.

Designed with less moving parts for one reason: so you'll face fewer maintenance problems and less wear and tear down the road. Our cabinet design maintains the perfect balance of heat, airflow and tumble action for optimal performance and efficiency.

Durable galvanized steel cylinder. Superior drying convenience including the industry's largest door opening 2.06 sq. ft. (1914 cm²).

Efficient dryer heating with 25,000 BTU (gas models) and up to 5,350 Watts (electric models). Speed Queen dryers offer some of the fastest drying times in the industry. The upfront lint filter is secured and easy to clean. Reversible door (solid door model only) for installation flexibility.



STACK DRYER

The Speed Queen stack dryer offers the same great features as the single load dryer. Two commercial dryers in the space of one, both operating independently, including independent controls for optimum usage. Same great features as the front control dryer for superior drying convenience. Available with see-through or solid door models. (Solid door is reversible). Bottom dryer is ADA compliant.



STACK WASHER/DRYER

Speed Queen's stack washer/dryer bring an innovative stacked concept that takes up half the floor space that a conventional washer and dryer does when situated side by side. The freestanding softmount design can be installed on all floor types or levels. Both washer and dryer have the same hookups and connections as a standard washer and dryer. No additional plumbing or electrical change is needed. Same great features as the front control washer and dryer for superior washing and drying convenience. ADA Compliant (washer only).



ELECTRONIC HOMESTYLE CONTROL COMMERCIAL WASHER & DRYER SPECIFICATIONS

MODELS	Front Load Washer	Front Load Single Load Dryer	Stack Dryer	Stack Washer / Dryer
Available Control Location	Front	Front	Front	Front
Capacity - lb (kg)	21.5 (9.5)	18 (8.2)	18 (8.2) ea	21.5 (9.5) 18 (8.2)
Cylinder Volume - cu. Ft. (liters)	3.42 (96.8)	7.0 (198)	7.0 (198) ea	3.42 (96.8) 7.0 (198)
Width - in (mm)	26 7/8 (683)	26 7/8 (683)	26 7/8 (683)	26 7/8 (683)
Depth - in (mm)	27 3/4 (704)	28 (711)	28 (711)	27 3/4 (704)
Height - in (mm)	40 7/16 (1027)	40 7/16 (1027)	78 3/16 (1986)	78 3/16 (1986)
Spin Speed G-Force (RPM)	1200, 800, 500	N/A	N/A	
Motor Size - HP (kw)	Variable Speed Induction 0.9 (0.67)	N/A	N/A	
Water Consumption per Cycle - g (liter)	11.7 (44.3)	N/A	N/A	
WF (Water Factor) gal/ft ³ (Liters/Liter/cycle)	3.7 (0.50)	N/A	N/A	
MEF (Modified Energy Factor) ft ³ /kWh/cycle (Liters/kWh/cycle)	2.38 (82.29)	N/A	N/A	
Available Heat Sources	N/A	Gas or Electric	Gas or Electric	
Available Heating Element (Electric W)	N/A	5350 @ 240V 4750W, 208V	5350 @ 240V 4750W, 208V	
Gas Inlet Connection (in (mm))	N/A	3/8 (9.5)	3/8 (9.5)	See front control front load washer and dryer specs to left
Gas Consumption - BTU/Hr	N/A	25,000	25,000	
Exhaust Outlet Dia. - in (mm)	N/A	4 (102)	4 (102)	
Exhaust Airflow - cfm (liters/sec)	N/A	220 (105)	220 (105)	
Available Water Temperatures	Hot, Warm, Cold	N/A	N/A	
Available Cycles	Heavy Duty, Normal Eco, Perm Press, Delicate, Rinse & Spin, Spin Only	Regular, Perm Press, Delicate Time Dry, Quick Dry, Fluff Up	Regular, Perm Press, Delicate Time Dry, Quick Dry, Fluff Up	
Water Pressure - PSI (Bar)	20-120 (1.4/8.3)	N/A	N/A	
Cycle Indicator Lights	Yes	Yes	Yes	
Cylinder Finish	Stainless Steel	Galvanized	Galvanized	
Available Colors	White	White	White	White
Door Type (Solid / Window)	Window	Solid	Solid Window	Window
Drain	Pump	N/A	N/A	Pump
Available Electrical Requirements (v/Hz/Ph-Amp)	120/60/1 - 15 Amp	Electric: 120/240/60/1 - 30 Amp* Gas: 120/60/1 - 15 Amp	120/208/60/1 - 30 amp	See front control front load washer and dryer specs to left
Net Weight - lb (kg)	250 (113)	Electric: 145 (66) Gas 150 (68)	Electric: 240 (109) Gas 250 (113)	Electric: 380 (172) Gas: 385 (175)
Shipping Weight - lb (kg)	270 (122)	Electric: 155 (68) Gas 160 (73)	Electric: 255 (115) Gas 265 (120)	
Shipping Width - in (mm)	29 (737)	29 (737)	29 (737)	29 (737)
Shipping Depth - in (mm)	32 3/4 (832)	32 3/4 (832)	32 3/4 (832)	32 3/4 (832)
Shipping Height - in (mm)	45 1/2 (1156)	45 1/2 (1156)	80 (2032)	80 (2032)
Available Agency Approvals	cULus	Electric: cULus, Gas: cCSAus	Electric: cULus, Gas: cCSAus	Electric: cULus, Gas: cCSAus

NOTE: Each stack dryer pocket requires its own separate power cord. | Stack washer/dryer requires two power cords - One for washer, one for dryer.

* Electric dryers come equipped for 240/60/1 operation. They can be field converted to operate on 208/60/1 with optional 61928 conversion kit. Gas dryers can be field converted for operation on LP gas with optional 458P3 conversion kit.

IMPORTANT: Any product revisions or conversions must be made by the Manufacturer's Authorized Dealers, Distributors, or local service personnel.

For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications are subject to change without notice. The quality management system of Alliance Laundry Systems' Ripon facility has been registered to ISO 9001:2008. Printed in the USA.



Speed Queen®