


Speed Queen®

MULTI-HOUSING

Micro-Display Front Control
Commercial Washers & Dryers

COIN
CARD VEND



BUILT FOR RELIABLE PERFORMANCE.

With some of the most advanced laundry equipment controls in the industry, Speed Queen provides the options and revolutionary technology for all your multi-housing laundry needs. The Micro-Display Control (MDC) offers simplified electronic controls with basic features that are most important to residents. Speed Queen front load laundry products have met every design standard to be 100% ADA compliant.

Micro Display Control offers total automated management of your laundry room with simple, powerful programming. Display vend price, coin and time countdown, touch pad selection, combines temp and cycle, manually program and audit. All front control models come with high capacity meter case.

ACTIVATION TYPES

Offering a variety of activation types allowing you to tailor your laundry room to fit your needs. Front control models all come with high capacity meter case.



Coin ("C")



Prep for Card ("Y")



Prep for Coin ("X")



FRONT LOAD WASHER


ENERGY STAR® certified. Uses less energy, saves money and helps protect the environment. Low water usage per cycle to reduce operating costs.

Revolutionary balancing technology redistributes even the most unbalanced loads for consistent cycle times, minimized vibration and reduced noise.

Increased spin speed extracts 440 G-Force to maximize moisture removal, helping to minimize dry times.

Heavy-duty design features like a rugged suspension system and stainless steel washtub and outer drain tub to deliver long-lasting performance.

Multi-compartment supply dispenser automatically adds detergent, bleach and softener.



SINGLE LOAD DRYER



Speed Queen's front control dryer, defined by its simplicity and its performance, provides everything you need to get the job done – and nothing you don't. Speed Queen's single load dryers combine heavy-duty construction with reliable operation proven to stand the test of time. They're designed with less moving parts for one reason: so you'll face fewer maintenance problems and less wear and tear down the road. The perfect balance of heat, airflow and tumble action for optimal performance and efficiency.

Extra-large capacity with the largest door opening in the industry for easy loading and unloading. Durable galvanized steel cylinder.



STACK DRYER

The Speed Queen stack dryer offers the same great features as the single load dryer. Two commercial dryers in the space of one, both operating independently, including independent controls for optimum usage. Available with see-through or solid door models. ADA Compliant (bottom dryer only).




STACK WASHER/DRYER



Speed Queen's stack washer/dryer bring an innovative stacked concept that takes up half the floor space than a conventional washer and dryer does when situated side by side. The freestanding softmount design can be installed on all floor types or levels. Both washer and dryer have the same hookups and connections as a standard washer and dryer. No additional plumbing or electrical change is needed. Same great features as the front control washer and dryer for superior washing and drying convenience. ADA Compliant (washer only).



ENERGY STAR®
Certified Washer



MICRO DISPLAY CONTROL COMMERCIAL WASHER & DRYER SPECIFICATIONS

MODELS AND ACTIVATION {NOTE: COIN BOX SOLD SEPARATELY}	Front Load Washer	Front Load Single Load Dryer	Stack Dryer	Stack Washer / Dryer
Activation Type	Coin Installed Prep for Card Prep for Coin	Coin Installed Prep for Card Prep for Coin	Coin Installed Prep for Card Prep for Coin	Coin Installed Prep for Card Prep for Coin
Capacity - lb (kg)	21.5 (9.5)	18 (8.2)	18 (8.2) ea	21.5 (9.5) 18 (8.2)
Cylinder Volume - cu. Ft. (liters)	3.42 (96.8)	7.0 (198)	7.0 (198) ea	3.42 (96.8) 7.0 (198)
Width - in (mm)	26 7/8 (683)	26 7/8 (683)	26 7/8 (683)	26 7/8 (683)
Depth - in (mm)	27 3/4 (704)	28 (711)	28 (711)	27 3/4 (704)
Height - in (mm)	44 3/8 (1126)	44 3/8 (1126)	78 3/16 (1986)	78 3/16 (1986)
Spin Speed G-Force (RPM)	1200, 800, 500	N/A	N/A	
Motor Size - HP (kw)	Variable Speed Induction 0.9 (0.67)	N/A	N/A	
Water Consumption per Cycle - g (liter)	11.7 (44.3)	N/A	N/A	
WF (Water Factor) gal/fl ³ (Liters/Liter/cycle)	3.8 (0.52)	N/A	N/A	
MEF (Modified Energy Factor) ft ³ /kWh/cycle (Liters/kWh/cycle)	2.98 (84.48)	N/A	N/A	
Available Heat Sources	N/A	Gas or Electric	Gas or Electric	
Available Heating Element (Electric W)	N/A	5350 @ 240V	5350 @ 240V 4750W, 208V	See front control front load washer and dryer specs to left
Gas Inlet Connection (in (mm))	N/A	3/8 (9.5)	3/8 (9.5)	
Gas Consumption - BTU/Hr	N/A	25,000	25,000	
Exhaust Outlet Dia. - in (mm)	N/A	4 (102)	4 (102)	
Exhaust Airflow - cfm (liters/sec)	N/A	220 (105)	220 (105)	
Available Water Temperatures	Hot, Warm, Cold	N/A	N/A	
Available Cycles	Normal, Perm Press, Delicate	High, Medium, Low, Delicate	High, Medium, Low, Delicate	
Water Pressure - PSI (Bar)	20-120 (1.4/8.3)	N/A	N/A	
Cycle Indicator Lights	Yes	Yes	Yes	
Cylinder Finish	Stainless Steel	Galvanized	Galvanized	
Available Colors	White	White	White	White
Door Type (Solid / Window)	Window	Solid	Solid Window	Window
Drain	Pump Gravity	N/A	N/A	Pump Gravity
Available Electrical Requirements (v/Hz/Ph-Amp)	120/60/1 - 15 Amp	Electric: 120/240/60/1 - 30 Amp Gas: 120/60/1 - 15 Amp		See front control front load washer and dryer specs to left
Net Weight - lb (kg)	270 (122)	Electric: 150 (68) Gas 155 (70)	Electric: 265 (120) Gas 275 (125)	390 (177)
Shipping Weight - lb (kg)	290 (132)	Electric: 160 (73) Gas 165 (75)	Electric: 280 (127) 290 (132)	425 (193)
Shipping Width - in (mm)	29 (737)	29 (737)	29 (737)	29 (737)
Shipping Depth - in (mm)	32 3/4 (832)	32 3/4 (832)	32 3/4 (832)	32 3/4 (832)
Shipping Height - in (mm)	45 1/2 (1156)	45 1/2 (1156)	80 (2032)	80 (2032)
Available Agency Approvals	cULus	Electric: cULus, Gas: cCSAus	Electric: cULus, Gas: cCSAus	Electric: cULus, Gas: cCSAus

NOTE: Each stack dryer pocket requires its own separate power cord. | Stack washer/dryer requires two power cords - One for washer, one for dryer.

* Electric dryers come equipped for 240/60/1 operation. They can be field converted to operate on 208/60/1 with optional 61928 conversion kit. Gas dryers can be field converted for operation on LP gas with optional 458P3 conversion kit.

For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications are subject to change without notice. The quality management system of Alliance Laundry Systems' Ripon facility has been registered to ISO 9001:2008. Printed in the USA.



Speed Queen®