

Speed Queen®

MULTI-HOUSING

Quantum® Stainless Steel Front Control
Commercial Washers & Dryers

COIN

CARD VEND



BUILT FOR **RELIABLE** PERFORMANCE.

Speed Queen's commitment to multi-housing laundry is unmatched anywhere else in the industry. Built for performance and reliability, our laundry machines maximize your profitability and provide unparalleled convenience for your property.

Speed Queen's line of washers and dryers are ready to meet the demands of your laundry room. They are designed to work as a single or stacked laundry setup, provide maximum energy efficiency and long-lasting performance. Speed Queen front load laundry products have met every design standard to be 100% ADA compliant.

EQUIPPED WITH QUANTUM CONTROLS TO PROVIDE:

Total automated management of your laundry room. Its simple, powerful programming gives you the ability to:

- Easily manage your laundry operation with remote internet access.
- Establish multi-level vend prices, soil level cycles and dryer top-off times on your machines.
- Track coin or card transactions.
- WashAlert™ with Service Alert capable.

ACTIVATION TYPES

Offering a variety of activation types allowing you to tailor your laundry room to fit your needs. Front control models all come with high capacity meter case.



Coin ("C")



Prep for Card ("Y")



Prep for Coin ("X")



FRONT LOAD WASHER



ENERGY STAR®
Certified Washer

The Speed Queen front load washer gives building owners and property managers unparalleled ability to reduce water and energy costs through advanced programmability.

FEATURES

REVOLUTIONARY BALANCING TECHNOLOGY

Improved out-of-balance technology that uses a redesigned suspension and advanced sensing to manage and redistribute out-of-balanced loads, delivering uninterrupted cycles.

LOW WATER USAGE

Per cycle to reduce operating costs.

HIGH SPEED EXTRACT

1200 RPM final spin exerts 440 G-Force to maximize moisture removal from clothes.

LARGER DOOR OPENING

Extra wide 15.5" (394 cm) for easy loading and unloading of clothes.

STAINLESS STEEL WASH TUB

Comes with a lifetime warranty, and actually becomes smoother with each use, so it won't pill, snag or fray clothes.

FOUR COMPARTMENT SUPPLY DISPENSER

Prewash, wash, fabric softener, bleach.



SINGLE LOAD DRYER



Speed Queen's front control dryer, defined by its simplicity and its performance, provides everything you need to get the job done – and nothing you don't. Speed Queen's single load dryers combine heavy-duty construction with reliable operation proven to stand the test of time. They're designed with less moving parts for one reason: so you'll face fewer maintenance problems and less wear and tear down the road. The perfect balance of heat, airflow and tumble action for optimal performance and efficiency.

FEATURES

SUPERIOR DRYING CONVENIENCE

With a 2.06 sq. ft. (1914 cm²) door opening, making it the widest in the industry, Speed Queen dryers offer the convenience of easy loading and unloading.

UPFRONT LINT FILTER

Easy to clean and secured.

REVERSIBLE DOOR (SOLID DOORS ONLY)

For installation flexibility.


EFFICIENT DRYER HEATING

25,000 BTU (gas models) and 5,350 Watts (electric models) provide fast drying and lower operating costs.



STACK DRYER

The Speed Queen stack dryer offers the same great features as the single load dryer. Two commercial dryers in the space of one, both operating independently, including independent controls for optimum usage. Available with see-through or solid door models. ADA Compliant (bottom dryer only).



STACK WASHER/DRYER



Speed Queen's stack washer/dryer bring an innovative stacked concept that takes up half the floor space that a conventional washer and dryer does when situated side by side. The freestanding softmount design can be installed on all floor types or levels. Both washer and dryer have the same hookups and connections as a standard washer and dryer. No additional plumbing or electrical change is needed. Same great features as the front control washer and dryer for superior washing and drying convenience. ADA Compliant (washer only).



QUANTUM® CONTROL COMMERCIAL WASHER & DRYER SPECIFICATIONS

MODELS and ACTIVATION	COIN	Front Load Washer	Single Load Dryer	Stack Dryer	Stack Washer/Dryer
		SFNNCASP113TN01 SFNWCASP113TN01 ^{◇◇} SFNNCASP113TN01 SFNWCASP113TN01 ^{◇◇} SFNNYASP113TN01 SFNWWASP113TN01 ^{◇◇} SFNNYASG113TN01 SFNNYBSP113TN01 SFNWWYASG113TN01 ^{◇◇} SFNNXASP113TN01	Electric 240: SDENCAGS173TN01 Gas: SDGNCASG113TN01	Electric 240: SDENYAGS173TN01 Gas: SDGNYAGS113TN01	Electric 240: SSENCAGS173TN01 Gas: SSGNCAGS113TN01
{NOTE: Coin Box Sold Separately}	PREP COIN				
	Stainless Basket/Cylinder Volume - cu.ft. (liters)	3.42 (96.8)	70 (198)	70 (198) ea pocket	3.42 (96.8) 70 (198)
	Width - in (mm)	26 7/8 (683)	26 7/8 (683)	26 7/8 (683)	26 7/8 (683)
	Depth - in (mm)	27 3/4 (704)	28 (711)	28 (711)	27 3/4 (704)
	Height* - in (mm)	44 3/8 (1126)	44 3/8 (1126)	78 3/16 (1986)	78 3/16 (1986)
	Weight - lb (kg)	270 (122.5)	Electric: 150 (68) Gas: 155 (70)	Electric: 265 (120) Gas: 275 (125)	Electric: 390 (177) 400 (181)
	Shipping Weight - lb (kg)	290 (131.5)	Electric: 160 (73) Gas: 165 (75)	Electric: 280 (127) Gas: 290 (132)	Electric: 425 (193) 435 (197)
	Cycle Time - minutes (default)	27	45	45	27/45
	Motor HP (Capacitor Start and Thermal Protected)	0.9 HP 671 W	1/3 HP, 5.5 amps	1/3 HP, 5.5 amps	0.9 HP 671 W 1/3 HP, 5.5 amps
	Water Consumption - gal (Liter)	11.7 (44.3)	N/A	N/A	11.7 (44.3)
	Water Factor - gal/ft ³ (Liters/Liter/cycle)	3.8 (0.52)	N/A	N/A	3.8 (0.52)
	Modified Energy Factor - ft ³ /kWh/cycle (Liters/kWh/cycle)	2.98 (84.48)	N/A	N/A	2.98 (84.48)
	Average Hot Water Usage - gal (Liter)	0.4 (1.5)	N/A	N/A	0.4 (1.5)
	Water Pressure PSI (Bar)	20-120 (1.4-8.3)	N/A	N/A	20-120 (1.4-8.3)
	Spin Speed - RPM	500, 800, 1200	N/A	N/A	500, 800, 1200
Cycle/Temperature	Hot Normal Warm Perm Press Cold Delicate	High 160 ° Medium 155 ° Low 145 ° Delicate 115 ° No Heat	High 160 ° Medium 155 ° Low 145 ° Delicate 115 ° No Heat	WASHER Hot/Normal Warm/Perm Press Cold/Delicate DRYER High/160 ° Medium/155 ° Low/145 ° Delicate/115 ° No Heat	
Electrical Specifications and Circuit Requirements	120/60/1-15 amp	Electric: 240/60/1-30 amp* Gas: 120/60/1-15 amp	Electric: 2 ea 240/60/1-30 amp* Gas: 2 ea 120/60/1-15 amp	WASHER 120/60/1-15 amp DRYER Electric: 240/60/1-30 amp* DRYER Gas: 120-60/1-15 amp**	
Btu per Hour (kcal)	N/A	25,000 (6300)	25,000 (6300)	25,000 (6300)	
Heating Element	N/A	5350W, 240V	5350W, 240V	5350W, 240V	
Type of Gas (Gas models only)	N/A	Factory-equipped natural/mixed gas convertible to LP gas**	Factory-equipped natural/mixed gas convertible to LP gas**	Factory-equipped natural/mixed gas convertible to LP gas**	
Utility Connections - in (mm)	N/A	Gas: 3/8 NPT (9.5)	Gas: 3/8 NPT (9.5)	Gas: 3/8" NPT (9.5)	
Air Outlet Diameter - in (mm)	N/A	4 (102)	4 (102)	4 (102)	
Exhaust Airflow - cfm (liters/sec)†	N/A	220 (105)	220 (105)	220 (105)	
Maximum Exhaust Static Back Pressure	N/A	0.6" W.C.	0.6" W.C.	0.6" W.C.	
Agency Approval	cCSAus	Electric: cULus Gas: cCSAus	Electric: cULus Gas: cCSAus	Electric: cULus Gas: cCSAus	
Activation	Coin/Card Op	Coin/Card Op	Coin/Card Op	Card Op	
Top and Lid Finish	Stainless	Stainless	N/A	Stainless	
Color	Stainless	Stainless	Stainless	Stainless	
Door Type	Window	Solid	Solid, Window	Dryer Solid Door, Washer Window	
Drain	Pump or Gravity	N/A	N/A	Pump	
Wireless Network Board Installed ^{◇◇}	Yes	N/A	N/A	N/A	

NOTE: Each stack dryer pocket requires its own separate power cord. | Stack washer/dryer requires two power cords - One for washer, one for dryer.

* Electric dryers come equipped for 240/60/1 operation. They can be field converted to operate on 208/60/1 with optional 61928 conversion kit. Gas dryers can be field converted for operation on LP gas with optional 458P3 conversion kit.

** IMPORTANT: Any product revisions or conversions must be made by the Manufacturer's Authorized Dealers, Distributors, or local service personnel.

† Measured at point of exit from dryer.

For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications subject to change without notice. The quality management system of Alliance Laundry Systems' Ripon facility has been registered to ISO 9001:2008. Printed in the U.S.A.



Speed Queen®