

Speed Queen®

MULTI-HOUSING

Micro-Display Rear Control
Commercial Washers & Dryers

COIN
CARD VEND



BUILT FOR RELIABLE PERFORMANCE.

With some of the most advanced laundry equipment controls in the industry, Speed Queen provides the options and revolutionary technology for all your multi-housing laundry needs. The Micro-Display Control (MDC) offers simplified electronic controls with basic features that are most important to residents. Speed Queen front load laundry products have met every design standard to be 100% ADA compliant.

Micro Display Control offers total automated management of your laundry room with simple, powerful programming. Display vend price, coin and time countdown, touch pad selection, combines temp and cycle, manually program and audit. All front control models come with high capacity meter case.

ACTIVATION TYPES

Offering a variety of activation types allowing you to tailor your laundry room to fit your needs. Standard and high capacity meter case available.



Coin ("C")



Prep for Card ("Y")



Prep for Coin ("X")



TOP LOAD WASHER




Durable stainless steel tub becomes smoother with each use, so it won't pill, snag or fray clothes.

710 RPM final spin speed extracts more water from loads reducing the energy costs associated with long drying times. High vanes and extra long 210° agitation stroke delivers superior washability for all load sizes.

Advanced suspension system eliminates the possibility of an unbalanced load issue. Secure high-capacity coin vaults feature a double-wrapped steel front and are secured to the washer top with heavy duty bolts.





FRONT LOAD WASHER

ENERGY STAR® certified. Uses less energy, saves money and helps protect the environment. Low water usage per cycle to reduce operating costs.

Revolutionary balancing technology redistributes even the most unbalanced loads for consistent cycle times, minimized vibration and reduced noise.

Increased spin speed extracts 440 G-Force to maximize moisture removal, helping to minimize dry times. Heavy-duty design features like a rugged suspension system and stainless steel washtub and outer drain tub to deliver long-lasting performance.

Multi-compartment supply dispenser automatically adds detergent, bleach and softener.



SINGLE LOAD DRYER

Speed Queen's single load dryers combine heavy-duty construction with reliable operation proven to stand the test of time.

They're designed with less moving parts for one reason: so you'll face fewer maintenance problems and less wear and tear down the road. Our cabinet design maintains the perfect balance of heat, airflow and tumble action for optimal performance and efficiency.

Extra-large capacity with the largest door opening in the industry for easy loading and unloading. Durable galvanized steel cylinder. Upfront lint filter for easy cleaning.



STACK DRYER

The Speed Queen stack dryer offers the same great features as the single load dryer. Two commercial dryers in the space of one, both operating independently, including independent controls for optimum usage. Available with see-through or solid door models. ADA Compliant (bottom dryer only).



MODELS {NOTE: COIN BOX SOLD SEPARATELY}	TOP LOAD WASHER	FRONT LOAD WASHER	SINGLE DRYER	STACK DRYER/DRYER
Available Control Location	Rear	Rear	Rear	Front
Activation Type	Coin Installed Prep for Card Prep for Coin	Coin Installed Prep for Card Prep for Coin	Coin Installed Prep for Card Prep for Coin	Coin Installed Prep for Card Prep for Coin
Capacity - lb (kg)	16 (7.3)	21.5 (9.5)	18 (8.2)	18 (8.2)
Cylinder Volume - cu. Ft. (liters)	3.26 (92.3)	3.42 (96.8)	7.0 (198)	7.0 (198) (ea)
Width - in (mm)	25 5/8 (650)	26 7/8 (683)	26 7/8 (683)	26 7/8 (683)
Depth - in (mm)	28 (711)	27 3/4 (704)	28 (711)	29 (737)
Height - in (mm)	43 (1092)	43 (1092)	43 (1092)	78 3/16 (1986)
Spin Speed G-Force (RPM)	150 (710)	440 (1200)	N/A	N/A
Motor Size - HP (kw)	1/2 (0.37)	Variable Speed Induction 0.9 (0.67)	1/3 (0.25)	1/3 (0.25)
Water Consumption per Cycle - g (l)*	26 (98.4)	11.7 (44.3)	N/A	N/A
WF (Water Factor)	8.4 (1.12)	3.8 (0.52)	N/A	N/A
MEF (Modified Energy Factor)	1.70 (47.14)	2.98 (84.48)	N/A	N/A
Available Heat Sources	N/A	N/A	Gas or Electric	Gas or Electric
Available Heating Element (Electric W)	N/A	N/A	4750W @ 208V 5350 @ 240V	4750W @ 208V 5350 @ 240V
Gas Inlet Connection - in (mm)	N/A	N/A	3/8 (9.5)	3/8 (9.5)
Gas Consumption - BTU/Hr	N/A	N/A	25,000	25,000
Exhaust Outlet Dia. - in (mm)	N/A	N/A	4 (102)	4 (102)
Exhaust Airflow - cfm (liters/sec)	N/A	N/A	220 (105)	220 (105)
Available Water Temperatures	Hot, Warm, Cold	Hot, Warm, Cold	N/A	N/A
Available Cycles	Normal, Perm Press, Delicate	Normal, Perm Press, Delicate	High, Medium, Low, Delicate	High, Medium, Low, Delicate
Water Pressure - PSI (Bar)	20-120 (1.4/8.3)	20-120 (1.4/8.3)	N/A	N/A
Cycle Indicator Lights	Yes	Yes	Yes	Yes
Cylinder Finish	Stainless Steel, Porcelain	Stainless Steel, Porcelain	Galvanized	Galvanized
Available Colors	White	White	White	White
Door Type (Solid Window)	N/A	Window	Solid	Solid or Window
Drain	Pump	Pump Gravity	N/A	N/A
Available Electrical Requirements (Voltage/Hz/Ph - Circuit Amperage)	120/60/1 - 15 Amp	120/60/1 - 15 Amp	Gas: 120/60/1 - 15 Amp, Electric: 120/240/60/1 - 30 Amp* 120/208/60/1 - 30 Amp	
Net Weight - lb (kg)	190 (86)	253 (115)	Electric 135 (61) Gas 140 (64)	Electric 265 (120) Gas 275 (125)
Shipping Weight - lb (kg)	210 (95)	273 (124)	Electric 145 (66) Gas 150 (68)	Electric 280 (127) Gas 290 (132)
Shipping Width - in (mm)	27 1/2 (699)	29 (737)	29 (737)	29 (737)
Shipping Depth - in (mm)	30 (762)	32 3/4 (832)	32 3/4 (832)	32 3/4 (832)
Shipping Height - in (mm)	44 1/4 (1124)	45 1/2 (1156)	45 1/2 (1156)	80 (2032)
Available Agency Approvals	cULus	cULus	Electric: cULus, Gas: cCSAus	Electric: cULus, Gas: cCSAus

NOTE: Each stack dryer pocket requires its own separate power cord. | Stack washer/dryer requires two power cords - One for washer, one for dryer.

* Electric dryers come equipped for 240/60/1 operation. They can be field converted to operate on 208/60/1 with optional 61928 conversion kit. Gas dryers can be field converted for operation on LP gas with optional 458P3 conversion kit.

For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications are subject to change without notice. The quality management system of Alliance Laundry Systems' Ripon facility has been registered to ISO 9001:2008. Printed in the USA.



Speed Queen®