

# Speed Queen.

## MULTI-HOUSING

Quantum® Rear Control  
Commercial Washers & Dryers

COIN  
CARD VEND



# BUILT FOR RELIABLE PERFORMANCE.

Speed Queen's commitment to multi-housing laundry is unmatched anywhere else in the industry. Built for performance and reliability, our laundry machines maximize your profitability and provide unparalleled convenience for your property.

Speed Queen®'s line of washers and dryers are ready to meet the demands of your laundry room. They are designed to work as a single or stacked laundry setup, provide maximum energy efficiency and long-lasting performance.

## EQUIPPED WITH QUANTUM CONTROLS TO PROVIDE:

Total automated management of your laundry room. Its simple, powerful programming gives you the ability to easily manage your laundry operation with remote internet access. Establish multi-level vend prices, soil level cycles and dryer top-off times on your machines and track coin or card transactions. WashAlert™ with Service Alert capable.

## ACTIVATION TYPES

Offering a variety of activation types allowing you to tailor your laundry room to fit your needs. Standard and high capacity meter case available.



Coin ("C")



Prep for Card ("Y")



Prep for Coin ("X")



## TOP LOAD WASHER

Durable stainless steel tub becomes smoother with each use, so it won't pill, snag or fray clothes.

710 RPM final spin speed extracts more water from loads reducing the energy costs associated with long drying times.

Advanced suspension system eliminates the possibility of an unbalanced load issue.

Secure high-capacity coin vaults feature a double-wrapped steel front and are secured to the washer top with heavy duty bolts.





## FRONT LOAD WASHER

Revolutionary balancing technology redistributes even the most unbalanced loads for consistent cycle times, minimized vibration and reduced noise.

Increase spin speed extracts 440 G-Force to maximize moisture removal, helping to minimize dry times.

20% increase in capacity with improved water usage for superior washability, increased customer satisfaction and lower utility bills.



Heavy-duty design features like a rugged suspension system and stainless steel washtub and outer drain tub to deliver long-lasting performance.



## SINGLE LOAD DRYER

Extra-large capacity with the largest door opening in the industry for easy loading and unloading.

Durable galvanized steel cylinder.

Upfront lint filter for easy cleaning.

Stack unit offers two dryers in floor space of one.



## STACK DRYER

The Speed Queen stack dryer offers the same great features as the single load dryer. Two commercial dryers in the space of one, both operating independently, including independent controls for optimum usage. Available with see-through or solid door models. ADA Compliant (bottom dryer only).



MODELS {NOTE: COIN BOX SOLD SEPARATELY}	TOP LOAD WASHER	FRONT LOAD WASHER	SINGLE DRYER	STACK DRYER/DRYER
Available Control Location	Rear	Rear	Rear	Front
Activation Type	Coin Installed Prep for Card Prep for Coin	Coin Installed Prep for Card Prep for Coin	Coin Installed Prep for Card Prep for Coin	Coin Installed Prep for Card Prep for Coin
Capacity - lb (kg)	16 (7.3)	21.5 (9.5)	18 (8.2)	18 (8.2)
Cylinder Volume - cu. Ft. (liters)	3.26 (92.3)	3.42 (96.8)	7.0 (198)	7.0 (198) (ea)
Width - in (mm)	25 5/8 (650)	26 7/8 (683)	26 7/8 (683)	26 7/8 (683)
Depth - in (mm)	28 (711)	27 3/4 (704)	28 (711)	29 (737)
Height - in (mm) standard capacity high capacity	43 (1092) 43 7/8 (1114)	43 (1092) 43 7/8 (1114)	43 (1092) 43 7/8 (1114)	78 3/16 (1986)
Spin Speed G-Force (RPM)	150 (710)	440 (1200)	N/A	N/A
Motor Size - HP (kw)	1/2 (0.37)	Variable Speed Induction 0.9 (0.67)	1/3 (0.25)	1/3 (0.25)
Water Consumption per Cycle - g (l)*	24.6 (93)	11.7 (44.3)	N/A	N/A
WF (Water Factor)	7.9 (1.06)	3.8 (0.52)	N/A	N/A
MEF (Modified Energy Factor)	1.69 (47.89)	2.98 (84.48)	N/A	N/A
Available Heat Sources	N/A	N/A	Gas or Electric	Gas or Electric
Available Heating Element (Electric W)	N/A	N/A	4750W @ 208V   5350 @ 240V	4750W @ 208V   5350 @ 240V
Gas Inlet Connection - in (mm)	N/A	N/A	3/8 (9.5)	3/8 (9.5)
Gas Consumption - BTU/Hr	N/A	N/A	25,000	25,000
Exhaust Outlet Dia. - in (mm)	N/A	N/A	4 (102)	4 (102)
Exhaust Airflow - cfm (liters/sec)	N/A	N/A	220 (105)	220 (105)
Available Water Temperatures	Hot, Warm, Cold	Hot, Warm, Cold	N/A	N/A
Available Cycles	Normal, Perm Press, Delicate	Normal, Perm Press, Delicate	High, Medium, Low, Delicate, No Heat	
Water Pressure - PSI (Bar)	20-120 (1.4/8.3)	20-120 (1.4/8.3)	N/A	N/A
Cycle Indicator Lights	Yes	Yes	Yes	Yes
Cylinder Finish	Stainless Steel, Porcelain	Stainless Steel, Porcelain	Galvanized	Galvanized
Available Colors	White	White	White	White
Door Type (Solid   Window)	N/A	Window	Solid	Solid or Window
Drain	Pump	Pump   Gravity	N/A	N/A
Available Electrical Requirements (Voltage/Hz/Ph - Circuit Amperage)	120/60/1 - 15 Amp	120/60/1 - 15 Amp	Gas: 120/60/1 - 15 Amp, Electric: 120/240/60/1 - 30 Amp   120/208/60/1 - 30 Amp	
Net Weight - lb (kg)	190 (86)	253 (115)	Electric 135 (61)   Gas 140 (64)	Electric 265 (120)   Gas 275 (125)
Shipping Weight - lb (kg)	210 (95)	273 (124)	Electric 145 (66)   Gas 150 (68)	Electric 280 (127)   Gas 290 (132)
Shipping Width - in (mm)	27 1/2 (699)	29 (737)	29 (737)	29 (737)
Shipping Depth - in (mm)	30 (762)	32 3/4 (832)	32 3/4 (832)	32 3/4 (832)
Shipping Height - in (mm)	44 1/4 (1124)	45 1/2 (1156)	45 1/2 (1156)	80 (2032)
Available Agency Approvals	cULus	cULus	Electric: cULus,   Gas: cCSAus	Electric: cULus,   Gas: cCSAus

**NOTE: Each Stack Dryer Pocket Requires Its Own Separate Power Cord.**

\* Electric dryers come equipped for 240/60/1 operation. They can be field converted to operate on 208/60/1 with optional 61928 conversion kit. Gas dryers can be field

For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications are subject to change without notice. The quality management system of Alliance Laundry Systems' Ripon facility has been registered to ISO 9001:2008. Printed in the USA.



**Speed Queen**